



						.go . c
F	ood Establishment Inspe	ection Report				
Johnson County Public Health	No. Of Risk Factor/Intervention	n Violations			Date: 6/18/202	-
855 S Dubuque ST STE 113 Iowa City, IA 52240-0083	No. Of Repeat Factor/Interven				Time In: 2:00 PM Time Out:3:31 PM	
Establishment: BUFFALO WILD WINGS #152	Address: 2500 CORRIDOR WAY	City/State: CORALVILLE, IA	Zip: 5224	41		Telephone: 9525169175
License/Permit#: 44406 - Food Service Establishment License	Permit Holder: BLAZIN WINGS, INC.	Inspection Reason: Routine	Est. Type	e: Re	estaurants	Risk Category: Risk Level 3 (Medium)

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

IN = In compliance OUT = Not in compliance N/O = Not observed N/A = Not a

(*) = Corrected on site during inspection (COS) R = Repeat violation

Supervision		15. Food separated and protected (Cross Contamination and	IN
Person in charge present, demonstrates knowledge, and performs duties	IN	Environmental) 16. Food contact surfaces: cleaned and sanitized	IN
Certified Food Protection Manager	IN	Proper disposition of returned, previously served, reconditioned, and unsafe food	IN
Employee Health		Potentially Hazardous Food Time/Temperature Control for Safety	
Management, food employee and conditional employee	IN		_
knowledge, responsibilities and reporting		Proper cooking time and temperatures	IN
Proper use of exclusions and restrictions	IN	19. Proper reheating procedures of hot holding	N/O
5. Procedures for responding to vomiting and diarrheal events	OUT, R	Proper cooling time and temperatures	IN
Good Hygienic Practices		21. Proper hot holding temperatures	N/O
Proper eating, tasting, drinking, or tobacco use	IN	22. Proper cold holding temperatures	IN
	IN	23. Proper date marking and disposition	OUT,
7. No discharge from eyes, nose, and mouth	IIN		(*), R
Control of Hands as a Vehicle of Contamination		24. Time as a public health control: procedures and records	N/A
Hands clean and properly washed	IN	Consumer Advisory	
No bare hand contact with ready to eat foods	IN	25. Consumer advisory provided for raw or undercooked foods	N/A
Hand washing sinks properly supplied and accessible	IN	Highly Susceptible Populations	14//1
Approved Source			N1/A
11. Foods obtained from an approved source	IN	26. Pasteurized foods used; prohibited foods not offered	N/A
12. Foods received at proper temperatures	N/O	Food/Color Additives and Toxic Substances	
13. Food in good condition, safe, and unadulterated	IN	27. Food additives: approved, properly stored, and used	N/A
		28. Toxic substances properly identified, stored and used	IN
Required records available; shellstock tags, parasite destruction	n N/A	Conformance with Approved Procedures	
Protection from Contamination			NI/A
		 Compliance with variance, specialized process, reduced oxygen packaging criteria, and HACCP plan 	N/A

GOOD RETAIL PRACTICES

42. Washing fruits and vegetables

		ne addition of pathogens, chemicals, and physical objects into foods.			
Safe Food and Water		Proper Use of Utensils			
30. Pasteurized eggs used where required	N/A	43. In use utensils: properly stored	IN		
31. Water and ice from approved source	IN	44. Utensils, equipment, and linens: properly stored dried and handled	IN		
32. Variance obtained for specialized processing methods	N/A	45. Single-use/single service articles: properly stored and used	IN		
Food Temperature Control 46. Slash-resistant and clo		46. Slash-resistant and cloth glove use	N/O		
Proper cooling methods used; adequate equipment for temperature control		Utensils, Equipment, and Vending			
		47. Food and non-food contact surfaces are cleanable, properly designed,	IN		
 Plant food properly cooked for hot holding 	N/O	constructed, and used			
35. Approved thawing methods	IN	48. Warewashing facilities: installed, maintained, and used; test strips	OUT		
36. Thermometers provided and accurate	IN	49. Non-food contact surfaces clean	IN		
Food Identification		Physical Facilities			
37. Food properly labeled; original container	IN	50. Hot and Cold water available; adequate pressure	IN		
Prevention of Food Contamination		51. Plumbing installed; proper backflow devices	IN		
38. Insects, rodents, and animals not present/outer openings	IN	52. Sewage and waste water properly disposed	IN		
protected		53. Toilet facilities; properly constructed, supplied, and cleaned	IN		
39. Contamination prevented during food preparation, storage and	IN	54. Garbage and refuse properly disposed; facilities maintained	IN		
display		55. Physical facilities installed, maintained, and clean	IN		
40. Personal cleanliness	IN	56. Adequate ventilation and lighting; designated areas used	IN		
41. Wiping cloths: properly used and stored	IN	57. Licensing; posting licenses and reports; smoking	IN		
40 W 11 6 7 1 1 1 1 1	18.1		-		

Inspection reports shall be posted no higher than eye level where the public can see and in a manner that the public can reasonably read the report.

IN

P - Priority PF- Priority Foundation C - Core

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Item Number	Violation of Code	Priority Level	Comment	Correct By Date
5.	2-501.11	PF	Observation: No site specific written procedures for the cleanup of vomit and diarrheal events.	6/28/2024
23.	3-501.17	PF	Observation: Open commercial containers of dressing and peppers lack open date marking. Corrected by: Person in charge had containers date marked.	cos

	GOOD RETAIL PRACTICES Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.							
Item Violation of Priority Level Number Code		Priority Level	Comment	Correct By Date				
48.	4-204.115, 4- 204.116, 4- 204.117	PF	Observation: Establishment does not have high heat indicating test kit for high heat dish machine.	6/28/2024				

Inspection Published Comment:
Routine inspection conducted. A letter of correction has been issued for item #5. See official letter for compliance details.

Follow-up will be completed on or after 6/28/2024 by Follow Up-Letter of Correction.

The following guidance documents have been issued:

Brian Wicks Person In Charge Jesse Bockelman Inspector