



Food Establishment Inspection Report

Johnson County Public Health 855 S Dubuque ST STE 113 Iowa City, IA 52240-0083	No. Of Risk Factor/Intervention Violations No. Of Repeat Factor/Intervention Violations	2 0	Date: 12/3/2024 Time In: 2:30 PM Time Out: 3:35 PM
Establishment: I LOVE MOCHI	Address: 1451 CORAL RIDGE AVE	City/State: Coralville, IA	Zip: 52241
License/Permit#: 249985 - Food Service Establishment License	Permit Holder: ZAFAR LLC	Inspection Reason: Routine	Est. Type: Risk Category: Risk Level 2 (Low)

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

IN = In compliance OUT = Not in compliance N/O = Not observed N/A = Not applicable (*) = Corrected on site during inspection (COS) R = Repeat violation

Supervision 1. Person in charge present, demonstrates knowledge, and performs duties IN 2. Certified Food Protection Manager IN Employee Health 3. Management, food employee and conditional employee knowledge, responsibilities and reporting OUT, (*) 4. Proper use of exclusions and restrictions IN 5. Procedures for responding to vomiting and diarrheal events IN Good Hygienic Practices 6. Proper eating, tasting, drinking, or tobacco use IN 7. No discharge from eyes, nose, and mouth IN Control of Hands as a Vehicle of Contamination 8. Hands clean and properly washed IN 9. No bare hand contact with ready to eat foods IN 10. Hand washing sinks properly supplied and accessible IN Approved Source 11. Foods obtained from an approved source IN 12. Foods received at proper temperatures N/O 13. Food in good condition, safe, and unadulterated IN 14. Required records available; shellstock tags, parasite destruction N/A Protection from Contamination	15. Food separated and protected (Cross Contamination and Environmental) IN 16. Food contact surfaces: cleaned and sanitized IN 17. Proper disposition of returned, previously served, reconditioned, and unsafe food IN Potentially Hazardous Food Time/Temperature Control for Safety 18. Proper cooking time and temperatures N/A 19. Proper reheating procedures of hot holding N/O 20. Proper cooling time and temperatures N/A 21. Proper hot holding temperatures N/O 22. Proper cold holding temperatures OUT, (*) 23. Proper date marking and disposition IN 24. Time as a public health control: procedures and records N/A Consumer Advisory 25. Consumer advisory provided for raw or undercooked foods N/A Highly Susceptible Populations 26. Pasteurized foods used; prohibited foods not offered N/A Food/Color Additives and Toxic Substances 27. Food additives: approved, properly stored, and used N/A 28. Toxic substances properly identified, stored and used IN Conformance with Approved Procedures 29. Compliance with variance, specialized process, reduced oxygen packaging criteria, and HACCP plan N/A
---	--

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Safe Food and Water 30. Pasteurized eggs used where required N/A 31. Water and ice from approved source IN 32. Variance obtained for specialized processing methods N/A Food Temperature Control 33. Proper cooling methods used; adequate equipment for temperature control IN 34. Plant food properly cooked for hot holding N/O 35. Approved thawing methods IN 36. Thermometers provided and accurate OUT Food Identification 37. Food properly labeled; original container IN Prevention of Food Contamination 38. Insects, rodents, and animals not present/outer openings protected IN 39. Contamination prevented during food preparation, storage and display IN 40. Personal cleanliness OUT 41. Wiping cloths: properly used and stored IN 42. Washing fruits and vegetables N/A	Proper Use of Utensils 43. In use utensils: properly stored IN 44. Utensils, equipment, and linens: properly stored dried and handled IN 45. Single-use/single service articles: properly stored and used IN 46. Slash-resistant and cloth glove use N/A Utensils, Equipment, and Vending 47. Food and non-food contact surfaces are cleanable, properly designed, constructed, and used IN 48. Warewashing facilities: installed, maintained, and used; test strips IN 49. Non-food contact surfaces clean IN Physical Facilities 50. Hot and Cold water available; adequate pressure IN 51. Plumbing installed; proper backflow devices OUT 52. Sewage and waste water properly disposed IN 53. Toilet facilities: properly constructed, supplied, and cleaned IN 54. Garbage and refuse properly disposed; facilities maintained IN 55. Physical facilities installed, maintained, and clean IN 56. Adequate ventilation and lighting; designated areas used IN 57. Licensing; posting licenses and reports; smoking IN
---	--

Inspection reports shall be posted no higher than eye level where the public can see and in a manner that the public can reasonably read the report.

P - Priority PF- Priority Foundation C - Core

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Item Number	Violation of Code	Priority Level	Comment	Correct By Date
3.	2-103.11(O)	PF	Observation: No verifiable health reporting agreements that had been read and signed by employees available at time of inspection. Corrected by: Employees read and signed health reporting agreements during the inspection. All employees were onsite at time of inspection.	COS
22.	3-501.16(A)(2)	P	Observation: Pre portioned mozzarella(44.1F) and franks(46F) for Korean dogs were on counter above maximum 41F. Per employees items are removed from cooler to process order and then returned. Corrected by: Items had been out less than 2 hours and were returned to cooler to rapidly cool.	COS

GOOD RETAIL PRACTICES


Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

Item Number	Violation of Code	Priority Level	Comment	Correct By Date
36.	4-204.112(A)-(D)	C	Observation: Smaller white reach in freezer lacks ambient air thermometer.	12/13/2024
40.	2-402.11	C	Observation: Employees observed without the use of an effective hair restraint.	12/13/2024
51.	5-205.15(B)	C	Observation: 4-bay sink is not attached to wall and lacks a water resistant seal preventing water from reaching the backside of wall. Have sink reattached to wall and caulking reapplied.	12/13/2024


Inspection Published Comment:

Routine inspection conducted. Have remaining violations corrected by dates noted. No further onsite action necessary.

The following guidance documents have been issued:



Shahana Sulthana
Person In Charge



Jesse Bockelman
Inspector