



					• '	ago : o. z	
Food Establishment Inspection Report							
Johnson County Public Health	No. Of Risk Factor/Interventio	n Violations		1	Date: 9/30/202	-	
855 S Dubuque ST STE 113 Iowa City, IA 52240-0083	No. Of Repeat Factor/Intervention Violations 0			Time In: 1:00 PM Time Out:2:10 PM			
Establishment: TIN ROOST	Address: 840 W PENN ST	City/State: North Liberty, IA	Zip: 52	317		Telephone: 3195302664	
License/Permit#: 159249 - Food Service Establishment License	Permit Holder: TRNL, LLC	Inspection Reason: Routine	Est. Ty	/pe: F	Restaurants	Risk Category: Risk Level 4 (High)	

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

IN = In compliance OUT = Not in compliance N/O = Not observed N/A = Not applicable

42. Washing fruits and vegetables

(*) = Corrected on site during inspection (COS) R = Repeat violation

Supervision		15. Food separated and protected (Cross Contamination and	IN			
Person in charge present, demonstrates knowledge, and		Environmental) 16. Food contact surfaces: cleaned and sanitized				
performs duties		17. Proper disposition of returned, previously served, reconditioned, and	IN IN			
Certified Food Protection Manager	IN	unsafe food	1111			
Employee Health		Potentially Hazardous Food Time/Temperature Control for Safety				
Management, food employee and conditional employee knowledge, responsibilities and reporting	IN	18. Proper cooking time and temperatures	IN			
Proper use of exclusions and restrictions	IN	19. Proper reheating procedures of hot holding	N/O			
Procedures for responding to vomiting and diarrheal events	IN	20. Proper cooling time and temperatures	N/O			
Good Hygienic Practices		21. Proper hot holding temperatures	IN			
Proper eating, tasting, drinking, or tobacco use	OUT, (*)	22. Proper cold holding temperatures	IN			
7. No discharge from eyes, nose, and mouth	IN	23. Proper date marking and disposition	IN			
Control of Hands as a Vehicle of Contamination		24. Time as a public health control: procedures and records	N/A			
Hands clean and properly washed	IN	Consumer Advisory				
No bare hand contact with ready to eat foods	IN	25. Consumer advisory provided for raw or undercooked foods	IN			
10. Hand washing sinks properly supplied and accessible IN		Highly Susceptible Populations				
Approved Source		26. Pasteurized foods used; prohibited foods not offered N/A				
11. Foods obtained from an approved source	IN	Food/Color Additives and Toxic Substances				
12. Foods received at proper temperatures	N/O	27. Food additives: approved, properly stored, and used	N/A			
13. Food in good condition, safe, and unadulterated	IN	28. Toxic substances properly identified, stored and used	IN			
14. Required records available; shellstock tags, parasite destruction	N/A	Conformance with Approved Procedures				
Protection from Contamination		Compliance with variance, specialized process, reduced oxygen packaging criteria, and HACCP plan	N/A			
		AIL PRACTICES e addition of pathogens, chemicals, and physical objects into foods.				
Safe Food and Water		Proper Use of Utensils				
30. Pasteurized eggs used where required	N/A	43. In use utensils: properly stored	IN			
31. Water and ice from approved source	IN	44. Utensils, equipment, and linens: properly stored dried and handled	IN			
32. Variance obtained for specialized processing methods	N/A	45. Single-use/single service articles: properly stored and used	IN			
Food Temperature Control		46. Slash-resistant and cloth glove use	N/O			
33. Proper cooling methods used; adequate equipment for	IN	Utensils, Equipment, and Vending				
temperature control	11/0	47. Food and non-food contact surfaces are cleanable, properly designed,	OUT			
34. Plant food properly cooked for hot holding	N/O	constructed, and used	OUT (*)			
35. Approved thawing methods	N/O	48. Warewashing facilities: installed, maintained, and used; test strips	OUT, (*)			
36. Thermometers provided and accurate	IN	49. Non-food contact surfaces clean	IN			
Food Identification		Physical Facilities				
37. Food properly labeled; original container	IN	50. Hot and Cold water available; adequate pressure	IN			
Prevention of Food Contamination		51. Plumbing installed; proper backflow devices	IN			
38. Insects, rodents, and animals not present/outer openings	IN	52. Sewage and waste water properly disposed	IN			
protected		53. Toilet facilities; properly constructed, supplied, and cleaned	IN			
 Contamination prevented during food preparation, storage and display 	IN	54. Garbage and refuse properly disposed; facilities maintained	IN			
40. Personal cleanliness	IN	55. Physical facilities installed, maintained, and clean	IN			
41. Wiping cloths: properly used and stored	IN	56. Adequate ventilation and lighting; designated areas used	IN			
42 Washing fruits and vegetables	IN	57. Licensing; posting licenses and reports; smoking	IN			

Inspection reports shall be posted no higher than eye level where the public can see and in a manner that the public can reasonably read the report.

IN

P - Priority

PF- Priority Foundation

C - Core

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Item Number	Violation of Code	Priority Level	Comment	Correct By Date
6.	2-401.11	С	Observation: Employee drink stored on prep line cutting board.	
			Corrected by: Employee moved drink to designated area to prevent contamination.	

	GOOD RETAIL PRACTICES Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.					
Item Number	Violation of Code	Priority Level	Comment	Correct By Date		
47.	4-501.12	С	Observation: Cutting boards throughout kitchen have deep grooves and staining. Have boards resurfaced or replaced.	10/10/2025		
48.	4-302.13	С	Observation: No high heat test strips available on site for high heat dish machine. Corrected by: Person in charge has ordered new high heat test strips.	COS		

Inspection Published Comment:

Illness complaint inspection conducted in conjunction with a routine inspection

Complainant stated that they became ill after eating at the establishment.

Manager was unaware of complaint.

Manager stated no employees have reported ill in the past week, no water or electricity outages have occurred, and no malfunctions of equipment were reported around the time of the complaint.

The complaint is unverifiable.

The following guidance documents have been issued:

Document Name	Description
DIA_48TestStrips	48 Test Strips

Andrew Belk Person In Charge Laura Sneller Inspector